EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050055325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L2	2			OR	OFF	2008/08/03 16:26
L3	3459	709/225.cols.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L4	2804	(709/225.cds.) AND (@AD< "20030904" (@FLAD< "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L5	71262	(((data database) SAME (proxy connection) SAME (identity user URL)) AND (@AD<"20030904" @RLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L6	1138	(((database) SAME (proxy connection) SAME ((match check verify compare determine) NEAF4(identity user UFL))) AND (@AD> "20030904" @FLAD> "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L7	25	(((database) SAME (proxy connection) SAME ((match check verify compare determine) NEAF4(identity user UFL))) AND (709/225.cds.) AND (@AD<*20030904* @FLAD<*20030904*)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26

L8	24	(((database) SAME ((instantiate create setup) NEAR4 (proxy connection session)) SAME ((match check verify compare determine) NEAR4((dentity user URL))) AND (@AD~"20030904" @RLAD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L9	943	((database) SAME ((instantiate create setup) NEAR4 (proxy connection session))) AND (@AD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L10	26	((database) SAME proxy SAME ((instantiate create setup) NEAR4 (connection session))) AND (@AD<"20030904" @RLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L11	23	((database) SAME (JDBC) SAME ((instantiate create setup) NEAF4 (connection session))) AND (@AD<"20030904" @FLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L12	8	((database) SAME (JDBC) SAME (commit NEAP2 protocol)) AND (@AD<"20030904" @RLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L13	2	"20050055325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L14	2	"20050055325"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L15	2804	(709/225.cds.) AND (@AD<"20030904" @RLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L16	3459	709/225.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26

L17	71262	((data database) SAME (proxy connection) SAME (identity user URL)) AND (@AD< "20030904" @RLAD< "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L18	1138	(((database) SAME (proxy connection) SAME ((match check verify compare determine) NEAFA(identity user UFL)) AND (@AD> "20030904" @FLAD< "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L19	943	((database) SAME ((instantiate create setup) NEAR4 (proxy connection session))) AND (@AD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L20	23	(((database) SAME (JDBC) SAME ((instantiate create setup) NEAR4 (connection session))) AND (@AD~"20030904" @FLAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L21	24	((database) SAME ((instantiate create setup) NEAP4 (proxy connection session)) SAME ((match check verify compare determine) NEAP4(identity user UPL))) AND (@AD<"20030904" @FILAD<"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L22	25	((database) SAME (proxy connection) SAME ((match check verify compare determine) NEAF4(identity user UFIL))) AND (709/225.cds.) AND (@AD-"20030904" @FILAD-"20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L23	8	(((database) SAME (JDBC) SAME (commit NEAF2 protocol)) AND ((@AD< "20030904" @RLAD< "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26
L24	26	((database) SAME proxy SAME ((instantiate create setup) NEAF4 (connection session))) AND (@AD< "20030904" @PLAD< "20030904")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/03 16:26

L25	3	"20030033517"	US-PGPUB;	OR	OFF	2008/08/03
			USPAT;			17:07
			USOCR; EPO;			
			JPO;			
			DERWENT;			
	1		IBM_TDB			

8/3/2008 5:55:14 PM

C:\ Documents and Settings\ achou1\ My Documents\ EAST\ Workspaces\ 10655346.wsp